MAY ET AL.

Serial No. 10/790,479

Filing Date: MARCH 1, 2004

In the Claims:

This listing of claims replaces all prior versions and listing of claims in the application.

 (Currently amended) A mobile wireless cellular communications device comprising:

a wireless cellular transceiver and a controller for cooperating therewith for receiving text messages from a wireless communications network; and

a headset output connected to said controller; said controller for

switching between a normal message mode and a hands-free audio message mode based upon a connection between said headset output and a headset, and

when in the audio message mode, outputting at least one audio message comprising speech generated from at least one of the received text messages via said headset output;

said controller being settable to an override mode in which said controller remains in the audio message mode irrespective of a connection between said headset output and the headset.

2. (Original) The mobile wireless communications device of Claim 1 wherein said headset output comprises a

MAY ET AL.

Serial No. 10/790,479

Filing Date: MARCH 1, 2004

wireless headset output for establishing a wireless connection with the headset.

- 3. (Original) The mobile wireless communications device of Claim 1 wherein said headset output comprises a headset jack for a wired headset.
- 4. (Original) The mobile wireless communications device of Claim 1 further comprising a user interface device connected to said controller, and wherein said controller switches to the audio message mode based upon an audio message mode command provided by a user via said user interface device.
- 5. (Original) The mobile wireless communications device of Claim 4 wherein said user interface device comprises a keypad connected to said controller.
- 6. (Original) The mobile wireless communications device of Claim 1 further comprising a text-to-speech module for cooperating with said controller to convert the at least one text message to the at least one audio message.
- 7. (Original) The mobile wireless communications device of Claim 1 further comprising a display connected to said controller for displaying the text messages.

MAY ET AL.

Serial No. 10/790,479

Filing Date: MARCH 1, 2004

Claim 8 (Cancelled).

9. (Currently amended) A cellular communications system comprising

at least one mobile wireless communications device comprising

a wireless cellular transceiver and a controller for cooperating therewith for receiving text messages, and

a headset output connected to said controller, said controller for

switching between a normal message mode and a hands-free audio message mode based upon a connection between said headset output and a headset, and

when in the audio message mode, outputting at least one audio message comprising speech generated from at least one of the received text messages via said headset output; and

a wireless cellular communications network for sending the text messages to said at least one mobile wireless communications device;

mode in which said controller remains in the audio
message mode irrespective of a connection between said
headset output and the headset.

In re Patent Application of: MAY ET AL.

Serial No. 10/790,479

Filing Date: MARCH 1, 2004

10. (Original) The communications system of Claim 9 wherein said headset output comprises a wireless headset output for establishing a wireless connection with the headset.

- 11. (Original) The communications system of Claim 9 wherein said at least one wireless communications device further comprises a user interface device, and wherein said controller switches to the audio message mode based upon an audio message mode command provided by a user via said user interface device.
- 12. (Original) The communications system of Claim 9 wherein said at least one wireless communications device further comprises a text-to-speech module for cooperating with said controller to convert the at least one text message to the at least one audio message.
- of Claim 9 wherein said controller is also for generating a conversion request for the at least one text message and cooperating with the wireless cellular transceiver to forward the conversion request to said wireless communications network; and wherein said wireless communications network receives the conversion request and further comprises a text-to-speech module for converting the at least one text message to the at least one audio message, and wherein said wireless communications network

MAY ET AL.

Serial No. 10/790,479

Filing Date: MARCH 1, 2004

sends the at least one audio message to said at least one wireless communications device.

14. (Original) The communications system of Claim 9 wherein said at least one mobile wireless communications device further comprises a display connected to said controller for displaying the text messages.

Claim 15 (Cancelled).

16. (Currently amended) A method for using a mobile wireless cellular communications device comprising a headset output, the method comprising:

receiving text messages from a wireless cellular communications network;

switching between a normal message mode and a handsfree audio message mode based upon a connection between the headset output and a headset; and

when in the audio message mode, outputting at least one audio message comprising speech generated from at least one received text message via the headset output; and

selectively setting the mobile wireless communications

device to an override mode in which the mobile wireless

communications device remains in the audio message mode

irrespective of a connection between the headset output and the headset.

MAY ET AL.

Serial No. 10/790,479

Filing Date: MARCH 1, 2004

17. (Original) The method of Claim 16 wherein the headset output comprises a wireless headset output for establishing a wireless connection with the headset.

- 18. (Previously presented) The method of Claim 16 wherein the mobile wireless cellular communications device further comprises a user interface device connected to the controller; and further comprising switching to the audio message mode based upon an audio message mode command provided by a user via the user interface device.
- 19. (Original) The method of Claim 16 further comprising converting the at least one text message to the at least one audio message prior to outputting.
- 20. (Currently amended) A computer-readable medium for use with a mobile wireless cellular communications device comprising a headset output, the computer-readable medium having computer-executable instructions for causing the mobile wireless communications cellular device to perform steps comprising:

receiving text messages from a wireless cellular communications network;

switching between a normal message mode and a handsfree audio message mode based upon a connection between the headset output and a headset; and

MAY ET AL.

Serial No. 10/790,479

Filing Date: MARCH 1, 2004

when in the audio message mode, outputting at least one audio message comprising speech generated from at least one received text message via the headset output; and

device to an override mode in which the mobile wireless

communications device remains in the audio message mode

irrespective of a connection between the headset output and the headset.

- 21. (Original) The computer-readable medium of Claim 20 wherein the headset output comprises a wireless headset output for establishing a wireless connection with the headset.
- 22. (Previously presented) The computer-readable medium of Claim 20 wherein the mobile wireless cellular communications device further comprises a user interface device connected to the controller; and further comprising computer-executable instructions for causing the mobile wireless communications device to perform a step comprising switching to the audio message mode based upon an audio message mode command provided by a user via the user interface device.
- 23. (Previously presented) The computer-readable medium of Claim 20 further comprising computer-executable instructions for causing the mobile wireless cellular communications device to perform a step of converting the at

MAY ET AL.

Serial No. 10/790,479

Filing Date: MARCH 1, 2004

least one text message to the at least one audio message prior to outputting.